

**LaserMark
LM MT300 15/6 GE**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



- Adhesive polyester labels
- Suitable for A4 laser printers
- Abrasion-resistant
- High heat resistance
- For marking all kinds of switchgear and modules
- Can also be written on with a ballpoint pen or STI marking pen

General ordering data

Type	LM MT300 15/6 GE
Order No.	1686361687
Version	LaserMark, Device markers, 15.2 x 6 mm, Yellow
GTIN (EAN)	4008190493851
Qty.	10 pc(s).

Data sheet

LaserMark LM MT300 15/6 GE

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	6 mm	Width (inches)	0.236 inch
Height	15.2 mm	Height (inches)	0.598 inch
Depth	0.08 mm	Depth (inches)	0.003 inch
Net weight	11.9 g		

General data

Adhesive	Acrylate adhesive	Approval acc. to UL 969	Yes
Colour	Yellow	Material	Polyester, PVC-free
Material colour according to resistance code	4	Number of markers per packaging unit	4,840
Number per sheet	484	Operating temperature range	-40... 150 °C
Printing method	Laser print	UL 94 flammability rating	HB
Version	Self-adhesive	Width	6 mm

Classifications

ETIM 3.0	EC001288	ETIM 4.0	EC001288
ETIM 5.0	EC001288	ETIM 6.0	EC001288
UNSPSC	30-21-18-01	eClass 5.1	27-14-91-29
eClass 6.2	27-14-91-29	eClass 7.1	27-14-91-29
eClass 8.1	27-14-91-03	eClass 9.0	27-40-06-29
eClass 9.1	27-40-06-29		

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD
Software	M-Print PRO configuration file

Data sheet

**LaserMark
LM MT300 15/6 GE**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

