

**ESG
ESG 9/11 K MC NE WS**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



for labelling your cables

Features:

- for use in the laser printer
- made from polyester
- abrasion-resistant
- as accessory: pen and printing software

General ordering data

Type	ESG 9/11 K MC NE WS
Order No.	1857440000
Version	ESG, Device markers x 9 mm, PA 66, Colour: White, Self-adhesive
GTIN (EAN)	4032248402731
compatible printer	1324380000

Data sheet

ESG ESG 9/11 K MC NE WS

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	9 mm	Width (inches)	0.354 inch
Height	11 mm	Height (inches)	0.433 inch
Depth	0.8 mm	Depth (inches)	0.031 inch
Net weight	0.45 g		

Temperatures

Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
-----------------------------------	--------	-----------------------------------	--------

General data

Adhesive	Double-sided adhesive tape	Application/manufacturer	Self-adhesive
Colour	White	Material	PA 66
Material colour according to resistance code	9	Operating temperature range	-40... 100 °C
UL 94 flammability rating	V-2	Version	Self-adhesive
Width	9 mm		

Labelling systems

Version	Self-adhesive
---------	---------------

Classifications

ETIM 3.0	EC001288	ETIM 6.0	EC001288
UNSPSC	30-21-18-01	eClass 5.1	27-14-91-29
eClass 9.0	27-40-06-29	eClass 9.1	27-40-06-29

Approvals

ROHS	Conform
------	---------

Data sheet

ESG
ESG 9/11 K MC NE WS

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

