

The new 30`s

The new end-sleeve
crimping tools
from 0.08 - 16 mm²



Crimping tools for cable end-sleeves

Simplify your everyday work with user friendly tools that stand out due to highest quality and comfort.

K 30/6K und K 30/4K




made in Germany

The first cable end-sleeve crimping tools with one profile for cross-sections from 0.08 - 16 mm² due to automatic adjustment. Manufactured out of tested material for best performance under highest strains.



K30/4K



K30/6K

Positioner for exact crimping results with small cable end-sleeves 0.08 - 4 mm²



2-component non-slip handles and marking field

Innovation of K 30/6K and K 30/4K


- Now also available with square crimp in the new K 30/4k
- With ratchet for consistent crimp results
- Lateral insertion (side crimp)

Part No.:	K30/6K	K30/4K
Crimping range end-sleeves:	0.08 - 16 mm ²	0.08 - 16 mm ²
Crimping range twin end-sleeves:	2 x 0.5 - 2 x 6 mm ²	2 x 0.5 - 2 x 6 mm ²
Length:	215 mm	215 mm
Weight:	0.5 kg	0.5 kg
Crimping profile:		

K 301/4K



With focus on ergonomics and lightness the new Klauke K 301/4K is one of the most end-user friendly tools on the market.



Square crimp suitable for box terminals and spring clamp technology



2-component non-slip handles and marking field



Safety-Pad for slip-secure crimping on solid surfaces

Innovation of K 301/4K

- One crimping profile for end-sleeves from 0.14 - 10 mm² and twin end-sleeves up to 2 x 4 mm² due to automatic cross-section adjustment
- With ratchet for consistent crimp results
- Very light and ergonomic
- Low opening force after crimping 10 mm²

Part No.:	K301/4K
Crimping range end-sleeves:	0.14 - 10 mm ²
Crimping range twin end-sleeves:	2 x 0.25 - 2 x 4 mm ²
Length:	175 mm
Weight:	0.35 kg

K 30/3



made in Germany

Square crimp suitable for box terminals and spring clamp technology.



Lateral insertion



Non-slip handles

- One crimping profile for end-sleeves from 0.14 - 10 mm² and twin end-sleeves up to 2 x 4 mm² due to automatic cross-section adjustment
- With ratchet for consistent crimp results
- Lateral insertion (side crimp)

Part No.:	K30/3
Crimping range end-sleeves:	0.08 - 10 mm ²
Crimping range twin end-sleeves:	2 x 0.5 - 2 x 4 mm ²
Length:	190 mm
Weight:	0.3 kg

K 43/3

made in Germany

As the first stripping tool with a cross-section range from 0.03 - 16 mm² the new Klauke K 43/3 is the ideal addition to the new Klauke 30's.

Part No.:	K43/3
Stripping range:	0.03 – 16 mm ²
Length:	200 mm
Weight:	0.14 kg



Innovation of K43/3

- First stripping tool with a stripping range from 0.03 - 16 mm²
- Fatigue-proof working due to ergonomic design
- Integrated pinch protection
- Exchangeable blades
- Safety-cutter up to Ø 9 mm
- Long durability due to glasfibre-strengthened plastic

Overview of the new 30's

made in Germany

The new 30's				
Part No.:	K301/4K	K30/6K	K30/4K	K30/3
Crimping profile:	Square crimp	Hexagonal crimp	Square crimp	Square crimp
Crimping range end-sleeves:	0.14 - 10 mm ²	0.08 - 16 mm ²	0.08 - 16 mm ²	0.08 - 10 mm ²
Crimping range twin end-sleeves:	2 x 0.25 - 2 x 4 mm ²	2 x 0.5 - 2 x 6 mm ²	2 x 0.5 - 2 x 6 mm ²	2 x 0.5 - 2 x 4 mm ²
Length:	175 mm	215 mm	215 mm	190 mm
Weight:	0.35 kg	0.5 kg	0.5 kg	0.3 kg

Klauke®
A Textron Company

Gustav Klauke GmbH

Auf dem Knapp 46 | D-42855 Remscheid

Phone: +49 (0) 2191 / 907 - 0

Fax: +49 (0) 2191 / 907 - 205

E-Mail: info@klauke.textron.com

Internet: www.klauke.com