


Rev.	Change Description	Designed	Checked	Approved
B1	original release	薛伟2016-3-15		



IEC catalog No.	SIZE	D1	D2 ^{+0.5} ₀	L1 ^{+0.5} ₀	D3±0.3	D4 ^{+0.5} ₀	L2	L±3	L3	L4	G
4301842	GTL-MV-AL150/CU95	16.5	25	62.5	13.5	19	39	115	46	✓	✓
4301859	GTL-MV-AL240/CU95	21.3	32	70	13.5	19	39	125	46	✓	✓
4301875	GTL-MV-AL240/CU150	21.3	32	70	17	23.5	44	130	51	46.5	25
5003194	GTL-MV-AL300/CU95	23.5	34	70	13.5	20	39	128	47	40.5	27
5003192	GTL-MV-AL300/CU150	23.5	34	70	17	23.5	44	132	51	46.5	27
4301883	GTL-MV-AL300/CU240	23.5	34	70	21.5	29	45	135	57	✓	✓
1192186	GTL-MV-AL300/CU300	23.5	34	70	23.5	32	48	142	59	✓	✓





Technical Detail:

- 1.Finish: bright self finish.
- 2.All dimensions are in mm.
- 3.Paint epoxy strip.
- 4.Barrel is to be 1/4 filled with an approved jointing compound and sealed with a plastic internally fitted Black cap.

				JIANGSU JIAMENG ELECTRICAL EQUIPMENT CO.,LTD 江苏嘉盟电力设备有限公司			
Material	CU-99.9% AL-99.5%			Undefined Tolerance	Title: Bimetal Connector		
Approved by	於海燕 2016-3-15			0~30 ±1			
Checked by	顾丽霞 2016-3-15			>30~120 ±2	Product No.: GTL-MV/082		
Designed by	薛伟 2016-3-15			>120 ±3			
Size A4	Scale 1:1		Sheet 1 of 3	Unit mm	Drawing No.: T1GTL-MV/082		

编号: QP-06-01 版次: A/0

Rev.	Change Description	Designed	Checked	Approved
B1	original release	薛伟2016-3-15		



Technical Detail:


- 1.Finish: bright self finish.
- 2.All dimensions are in mm.
- 3.Paint epoxy strip.
- 4.Barrel is to be 1/4 filled with an approved jointing compound and sealed with a plastic internally fitted Black cap.

 MELEC www.melec.com.cn				JIANGSU JIAMENG ELECTRICAL EQUIPMENT CO.,LTD 江苏嘉盟电力设备有限公司			
Material		CU-99.9% AL-99.5%		Undefined Tolerance		Title: Bimetal Connector	
Approved by		於海燕 2016-3-15		0~30 ±1			
Checked by		顾丽霞 2016-3-15		>30~120 ±2		Product No.: GTL-MV/082	
Designed by		薛伟 2016-3-15		>120 ±3			
Size A4	Scale 1:1		Sheet 2 of 3	Unit mm		Drawing No.: T1GTL-MV/082	


编号: QP-06-01 版次: A/0

Rev.	Change Description	Designed	Checked	Approved
B1	original release	薛伟2016-3-15		


GTL-MV-AL300/CU150



GTL-MV-AL300/CU240



GTL-MV-AL300/CU300



Technical Detail:

- 1.Finish: bright self finish.
- 2.All dimensions are in mm.
- 3.Paint epoxy strip.
- 4.Barrel is to be 1/4 filled with an approved jointing compound and sealed with a plastic internally fitted Black cap.

				JIANGSU JIAMENG ELECTRICAL EQUIPMENT CO.,LTD 江苏嘉盟电力设备有限公司			
Material	CU-99.9% AL-99.5%		Undefined Tolerance		Title: Bimetal Connector		
Approved by	於海燕 2016-3-15		0~30	±1			
Checked by	顾丽霞 2016-3-15		>30~120	±2	Product No.: GTL-MV/082		
Designed by	薛伟 2016-3-15		>120	±3			
Size A4	Scale 1:1		Sheet 3 of 3	Unit mm	Drawing No.: T1GTL-MV/082		

编号: QP-00-01 版次: A/0